






## Spare Parts Package Robotic Pallet Dismantler

	LX6 EMITTER LONG RANGE	1
	LX6RQ SERIES RECEIVE	1
	4 BOLT BEARING (1-1/4" BORE)	2
	M12 PROX NF 8mm Range	1
	M12 PROX F 4mm Range	1
	1-1/4" PILLOW BEARING	1
	HG 25 RAIL 580MM W/RC	1
	1-7/16" DIA 2 BOLT BEARING	1
	ROD ALIGNMENT COUPLER	1
	HG 25 FLANGE BLOCK	1
	1-1/4-12 SELF-ALIGNING ROD COUPLER	1
	HG 25 T-RAIL 300MM	1
	20mm X 55mm SHOULDER BOLT	2
	4.00 BORE X 2.5 STROKE CYL	1
	25 SERIES FLANGED W/SCRAPER	1
	20MM ID X 52MM OD BALL BEARING	8

Picture Not Available	40.50" #60 CHAIN 54 LINKS	1
	#60 CHAIN LINK COTTER PIN	2
	HG25 SUPER HEAVY LOAD BEARING	1
	5V QD SHEAVE 5.5 OD	1
	SUPER HC V BELT 5VX830	5
	INNER SEAL	1
	OUTER SEAL	1
	1 X 2 X 8 ROUGH STONE	2
	1-7/16 FLANGE BEARING	1
	MOUNTED BEARING	1
	1-7/16" KEYLESS BUSHING	1
	3/4" FLANGED BUSHING	1
	85MM ID X 150MM OD SPHERICAL BEARING	2
	H60B13F-1-3/8 IDC SPROCKET	1
	COMPACT T SLOT V-TWIN	1
	1.5 BORE X 2.75 STROKE	1
	HG 25 T-RAIL 400MM	1
	1.5 BORE X 5.0 STROKE	1
	HG 25 T-RAIL 230MM	1
	PR_G PHOTOEYE SET 30M RANGE	1

	HG 25 T-RAIL 280MM	1
	41.25" LG #60 CHAIN 56 LINKS	1
	TRD 2.5 BORE X 4.0 STROKE CYL	1
	BELLEVILLE DISC SPRING	4
	80mm ULTRA FLEX POLY VAC HOSE	5
	20MM SHOULDER SCREW	2
	DIE SPRING FOR 3/4" HOLE	1
	PHD CYL 1-1/4 BORE 3 STROKE	1
	20mm BUSHING	1
	3/4 HP HOLLOW BORE MOTOR	1
	60MM CLEAR FLEX HOSE	1
	GEFRAN CURSOR, MAGNET	1
	FUZE 1/2A 250V, GLASS TIME DELAY PACK OF 5	1
Picture Not Available	600V FUSE, 50AMP, CLASS J	3
	M12 4PIN DBL END CRDST, 22AWG	2
Picture Not Available	M12 4PIN DBL END CRDST, 22AWG, 10M	2
Picture Not Available	M12 4PIN DBL END CRDST, 90 FEMALE 22AWG	2
	RED NON-ILLUM. E-STOP 22MM BUTTON, TWIST RELEASE, 2 N.C.L.B, 1 N.O.	1
Picture Not Available	MOMENTARY PB, 22MM, BLACK	1
Picture Not Available	MOMENTARY PB, 22MM, GREEN, ILL	1
Picture Not Available	22MM METAL, FLUSH BLUE	1

Picture Not Available	22MM METAL,FLUSH GREY	1
Picture Not Available	22MM METAL,FLUSH WHITE	1
Picture Not Available	22MM METAL,FLUSH YELLOW	1
Picture Not Available	MINI 5-PIN SNG END CRDST, FEM 90, 18AWG	1
	FILTER/REGULATOR, 1/2" NPT, W/ GAUGE	1
	SMC DIGITAL PSI SWITCH	1
	VALVE, 2 POS, DETENTED, DOUBLE SOL, 24VDC	1
	VALVE, 3 POS, EXHAUST CENTER, DOUBLE SOL, 24VDC	1
	D03 DIRECTIONAL VALVE, 2-POS, DETENTED, 24 VDC DIN, BUNA	1